



KETE GROUP LIMITED



www.ketegroup.com

Company: **KETE GROUP LIMITED**

Office Add: 13th Floor, New Nongmao Building, Shangwang
Street Ruian City, Zhejiang Province, China.325200

Tel/Fax: +85-577-66873227 / 66689036 / 66689037

E-mail: sales@ketegroup.com

Skype: ketegroup QQ:1285582818



+86 18806770163 ([WhatsApp/Wechat](#))



App



Wechat



KETE GROUP LIMITED

KTPM Series

Paper Bag Making Machine



Perfect Solutions For Food Packaging Industry

www.ketegroup.com

Flexible Printing and Packaging Machinery Efficient Manufacturing



KETE GROUP LIMITED as a comprehensive company and professional flexible packaging machines manufacturer was founded in July 2011 by multifunctional printing and packaging machine factories in china. we use "KETE" as a leader brand for foreign market business. We can provide sustainable vertically integrated machinery solutions for printing and packaging and converting machines. In order to create more value and offer the one-step service for our customers, year by year we collect all the knowledge and resource to service our customers with complete solutions. Main included the non woven bag production line, paper bag production line, plastic bag production line, label production line, wine capsules

production line, Rhinestones production line etc. Paper straws production line

We had passed ISO9001:2008 quality certificated system and CE safety certificated system, RoHS health safety certificated system. Benefit from good technology and capital resource, we pay high attention to the new product innovation and environmental protection. We are continuing increase our R&D and Technology invest for paper bag making machine, non woven bag making machine, degradable plastic bag making machine, water base flexographic printing machine and water base rotogravure printing machine. KETE People will keep Innovation for environmental responsibility.

In future we will keep our slogan "Your Success is our Business" continue creating value for customers and achieve self-worth. We are looking forward to cooperate with you soon!



What Makes Us The Right Choice


We will help you choose the right converting machines for your business needs so you can Increase production capacity, Improve efficiency and quality

High Value Products

KETE engineers seriously give feedback or discussion for your every single inquiry, and listening your idea to satisfy with your customized requirement by integrating all resources and gathering all the experiences we have.

We Know More Than You Want

Our trained inspectors ensure every part will be well produced and inspected according to your specified standard and tolerances, with flexible manual measurement and high-tech measuring instrument. The inspection report from the third-party can also be issued.



KTPM-A250

Series High Speed Flat and Satchel Paper Bag Making Machine For Sale



Feature:



This Paper Bag Making Machine for Sale uses roll-type paper to make sharp bottom paper bags. it's suitable for Kraft paper, ribbed Kraft paper, grease-proof paper, coated paper, medico paper, etc. this machine can make different kinds of paper bags, snack paper bags, food paper bags, bread paper bags, dry fruit paper bags, and eco-friendly paper bag and so on.

Optional:

- 1.Film Window Open Device.
- 2.Film Perforation Function.
- 3.Optional Inline Flexo Printing Machine (2 colors/4 colors).

Performance and Characteristics:

- 1.PLC Touch Screen use SCHNEIDER Brand (French).
- 2.PC Motion controller use TRIO Brand (UK).
- 3.Servo Motor use YASKAWA Brand (Japan).
- 4.Inverter use DETLA Brand (Taiwan).
- 5.Photo Sensor use SICK Brand (Germany).
- 6.Unwind EPC use PASOURCE Brand (Taiwan).
- 7.Unwind with Pneumatic Auto Loading.
- 8.Electrical Controller Box with Air Condition.
- 9.Machine with CE Certification.
- 10.Machine with ROHS Certification.



Main Technical Specification

Model	KTPM-A250	KTPM-AW250
Paper Jumbo Roll Width	160-780mm	160-780mm
Paper Tube Cutting Length	110-460mm	110-460mm
Bag Making Height	105-455mm	105-455mm
Bag Making Width	70-250mm 40-60mm (Customized)	70-250mm 40-60mm (Customized)
Mechanical Speed	50-350pcs/min	
Bag Making Speed	50-260pcs/min	
Paper Feeding Speed	≤70m/min	
Bag Side Gusset	20-120mm	20-120mm
Bag Mouth Height	15/20mm 10-20 (Customized)	15/20mm 10-20 (Customized)
Paper Thickness	35-80gsm	35-80gsm
Jumbo Roll Diameter	200-1200mm	200-1200mm
Plastic Window		
Plastic Film Thickness	/	0.015-0.05mm
Plastic Film Width	/	50-200mm
Inline Flexo Printing		
Color	2 colors /4 colors	2 colors /4 colors
Printing Machine Model	1000	1000
Printing Width	≤960mm	≤960mm
Printing Length	160-460mm	160-460mm
Printing Speed	10-100m/min	10-100m/min
Machine Power	17kw 33kw(P2) 36KW(P4)	22kw 38kw(P2) 41KW(P4)
Machine Weight	4000kg 7300kg(P2) 7800kg(P4)	4500kg 7800kg(P2) 8300kg(P4)
Machine Size (LWH)	7100 x 3000 x 2200mm 12000 x3000 x2400mm(P2) 12700 x3000 x2400mm(P4)	7100 x 3100 x 2200mm 12000 x3100 x2400mm(P2) 12700 x3100 x2400mm(P4)
Power Support	3 Phase 220/380/440V 50/60HZ	

KTPM-AW350

Series High Speed Flat and Satchel Food
Paper Bag Making Machine with Plastic Window



Feature:



This food paper bag making machine uses roll-type paper to make flat bottom paper bags with plastic windows. it's suitable for Kraft paper, ribbed Kraft paper, grease-proof paper, coated paper, medico paper, etc. this machine can make different kinds of the paper bags, snack paper bags, food paper bags, bread paper bags, dry fruit paper bags, and eco-friendly paper bag and so on.

Optional:

1. Film Perforation Function.
2. Inline Flexo Printing Machine (2 colors/4 colors).

Performance and Characteristics:

1. PLC Touch Screen use LENZE Brand (Germany).
2. PC Motion controller use LENZE Brand (Germany).
3. Servo Motor use LENZE Brand (Germany).
4. Inverter use DETLA Brand (Taiwan).
5. Photo Sensor use SICK Brand (Germany).
6. Unwind EPC use PASOURCE Brand (Taiwan).
7. Unwind with Pneumatic Auto Loading.
8. Electrical Controller Box with Air Condition.
9. Machine with CE Certification.
10. Machine with ROHS Certification.




Main Technical Specification

Model	KTPM-A350	KTPM-AW350
Paper Jumbo Roll Width	160-960mm	160-960mm
Paper Tube Cutting Length	165-715mm	165-720mm
Bag Making Height	160-710mm	160-710mm
Bag Making Width	70-350mm	70-350mm
Mechanical Speed	50-600pcs/min	
Bag Making Speed	50-400pcs/min	
Paper Feeding Speed	≤120m/min	
Bag Side Gusset	20-120mm	20-120mm
Bag Mouth Height	15/20mm 10-20 (Customized)	15/20mm 10-20 (Customized)
Paper Thickness	35-80gsm	35-80gsm
Jumbo Roll Diameter	200-1200mm	200-1200mm
Plastic Window		
Plastic Film Thickness	/	0.020-0.037mm
Plastic Film Width	/	80-280mm
Inline Flexo Printing		
Color	2 colors /4 colors	2 colors /4 colors
Printing Machine Model	1000	1000
Printing Width	≤960mm	≤960mm
Printing Length	165-715mm	165-715mm
Printing Speed	10-100m/min	10-100m/min
Machine Power	42kw 47kw(P2) 48KW(P4)	47kw 52kw(P2) 53KW(P4)
Machine Weight	9000kg 12300kg(P2) 12800kg(P4)	9500kg 12800kg(P2) 13300kg(P4)
Machine Size (LWH)	10500 x 3000 x 2200mm 12000 x 3000 x 2200mm(2P) 13300 x 3000 x 2200mm(4P)	10500 x 3100 x 2200mm 12000 x 3100 x 2200mm(2P) 13300 x 3200 x 2200mm(4P)
Power Support	3 Phase 220/380/440V 50/60HZ	

KTPM-B190

Series Roll Feeding Fully Automatic Paper Bag Machine



Feature:


This Roll Feeding Fully Automatic Paper Bag Machine Use Roll Type Paper Make Various Sized Square Bottom Paper Bags Without Handles.

Optional:




- 1.Inline Flexo Printing Machine (2 colors/4 colors).
- 2.Double Unwind System.

Performance and Characteristics:

- 1.PLC Touch Screen Use SCHEIDER Brand (France).
- 2.PC Motion Controller Use REXROTH Brand (Germany).
- 3.Servo Motor Use REXROTH Brand (Germany).
- 4.Inverter Use DELTA Brand (Taiwan).
- 5.Photo Sensor Use SICK Brand (Germany) .
- 6.EPC Use SELECTRA Brand (Italy).
- 7.Electrical Box with AC Condition.
- 8.Machine with CE Certification.
- 9.Machine with ROHS Certification.



Bottom Folding Type



Main Technical Specification

Model	KTPM-B190	KTPM-B190P
Tube Length	190-370mm	190-370mm
Bag Width	80-200mm (Standard) 65-200 mm (Customized)	80-200mm (Standard) 65-200mm (Customized)
Bottom Width	50-105mm (Standard) 45-105mm (Customized)	50-105mm (Standard) 45-105mm (Customized)
Paper Thickness	40-130gsm	40-130gsm
Paper Feeding Speed	≤100m/min	≤100m/min
Mechanical Speed	30-260pcs/min	30-260pcs/min
Paper Bag Making Speed	30-200pcs/min (Stable)	30-200pcs/min (Stable)
Paper Jumbo Roll Width	280-630mm	280-630mm
Paper Jumbo Roll Diameter	Φ1300mm	Φ1300mm
Paper Core Diameter	Φ76mm	Φ76mm
Inline Printing Function (Optional)		
Printing Color		2Colors / 4Colors
Printing Length	/	190-370mm
Printing Width	/	100-960mm
Printing Speed	/	10-100 m/min
Color Register Precision	/	≤ ±0.20mm
Rubber Plate Thickness	/	2.28mm+0.38mm 1.7mm + 0.38mm
Working Air Current	/	0.36m³/ min (0.5-0.8 MPa)
Machine Power	11.5kw	19.7kw (inline 2 colors) 22.9kw (inline 4 colors)
Machine Weight	6000kg	7800kg (inline 2 colors) 8400kg (inline 4 colors)
Machine Size (LWH)	8500x3500x2200mm	11000*3500*2800mm (inline 2 colors) 11500*3500*2800mm (inline 4 colors)
Power Support	3 Phase 220/380/440V 50/60HZ	

KTPM-B330

Series Roll Feeding Fully Automatic Paper Bag Making Machine



Feature:



This Roll Feeding Fully Automatic Paper Bag Making Machine Use Roll Type Paper to Make Various Sized Square Bottom Paper Bags Without Handles.

Optional:

- 1.Inline Flexo Printing Machine (2 colors/4 colors).
- 2.Double Unwind System.

Performance and Characteristics:

- 1.PLC Touch Screen Use SCHEIDER Brand (France).
- 2.PC Motion Controller Use REXROTH Brand (Germany).
- 3.Servo Motor Use REXROTH Brand (Germany).
- 4.Inverter Use DELTA Brand (Taiwan).
- 5.Photo Sensor Use SICK Brand (Germany) .
- 6.EPC Use SELECTRA Brand (Italy).
- 7.Electrical Box with AC Condition.
- 8.Machine with CE Certification.
- 9.Machine with ROHS Certification.




Main Technical Specification

Model	KTPM-B330	KTPM-B330P
Tube Length	270-530mm	270-530mm
Bag Width	120-330mm	120-330mm
Bottom Width	60-180mm	60-180mm
Paper Thickness	50-150gsm	50-150gsm
Paper Feeding Speed	≤110m/min	≤110m/min
Mechanical Speed	30-220pcs/min	30-220pcs/min
Paper Bag Making Speed	30-180 pcs/min	30-180 pcs/min
Paper Jumbo Roll Width	380-1050mm	380-1050mm
Paper Jumbo Roll Diameter	Φ1300mm	Φ1300mm
Paper Core Diameter	Φ76mm	Φ76mm
Inline Printing Function (Optional)		
Printing Color		2Colors / 4Colors
Printing Length	/	270-530mm
Printing Width	/	100-1160mm
Printing Speed	/	10-100m/min
Color Register Precision	/	≤±0.20mm
Rubber Plate Thickness	/	2.28mm+0.38mm 1.7mm + 0.38mm
Working Air Current	/	0.36m³/ min (0.5-0.8 MPa)
Machine Power	15kw	23.2kw (inline 2 colors) 26.7kw (inline 4 colors)
Machine Weight	8500kg	9900kg (inline 2 colors) 10400kg (inline 4 colors)
Machine Size (LWH)	10000x3700x2200mm	16400mmx5000x2500mm (inline 2 colors) 17700mmx5000x2500mm (inline 4 colors)
Power Support	3 Phase 220/380/440V 50/60HZ	

KTPM-B450

Series Roll Feeding Square

Bottom Paper Bag Manufacturing Machine



Feature:



This Roll Feeding Square Bottom Paper Bag Manufacturing Machine uses roll-type paper to make square bottom paper bags without handles.

Optional:

1. Inline Flexo Printing Machine (2 colors/4 colors).
2. Double Unwind System.

Performance and Characteristics:

1. PLC Touch Screen Use SCHEIDER Brand (France).
2. PC Motion Controller Use REXROTH Brand (Germany).
3. Servo Motor Use REXROTH Brand (Germany).
4. Inverter Use DELTA Brand (Taiwan).
5. Photo Sensor Use SICK Brand (Germany) .
6. EPC Use SELECTRA Brand (Italy).
7. Electrical Box with AC Condition.
8. Machine with CE Certification.
9. Machine with ROHS Certification.




Main Technical Specification

Model	KTPM-B450	KTPM-B450A	KTPM-B450B
Tube Length	270-530mm	300-630mm	380-760mm
Bag Width	200-450mm	220-450mm	220-450mm
Bottom Width	90-180mm	100-220mm	80-230mm
Paper Thickness	70-150gsm	80-150gsm	80-150gsm
Paper Feeding Speed	≤90m/min	≤90m/min	≤90m/min
Mechanical Speed	30-200 pcs/min	30-180 pcs/min	30-150 pcs/min
Paper Bag Making Speed	30-180 pcs/min	30-150 pcs/min	30-120 pcs/min
Paper Jumbo Roll Width	610-1290mm	670-1370mm	630-1390mm
Paper Jumbo Roll Diameter	Φ1300mm	Φ1300mm	Φ1300mm
Paper Core Diameter	Φ76mm	Φ76mm	Φ76mm
Inline Printing Function (Optional)			
Printing Color	2colors/4colors	2colors/4colors	2colors/4colors
Printing Length	100-1360mm	100-1360mm	100-1460mm
Printing Width	270-530mm	300-630mm	380-760mm
Printing Speed	10-100m/min	10-100m/min	10-100m/min
Color Register Precision	≤±0.20mm	≤±0.20mm	≤±0.20mm
Rubber Plate Thickness	2.28mm+0.38mm 1.7mm + 0.38mm	2.28mm+0.38mm 1.7mm + 0.38mm	2.28mm+0.38mm 1.7mm + 0.38mm
Working Air Current	0.36m ³ / min (0.5-0.8 MPa)	0.36m ³ / min (0.5-0.8 MPa)	0.36m ³ / min (0.5-0.8 MPa)
Machine Power	15kw 23.8kw (inline 2 colors) 27.4kw (inline 4 colors)	17.5kw 23.5kw (inline 2 colors) 26.5kw (inline 4 colors)	17.5kw 23.5kw (inline 2 colors) 26.5kw (inline 4 colors)
Machine Weight	9000kg 11500kg (inline 2 colors) 12000kg (inline 4 colors)	10500kg 12500kg (inline 2 colors) 13000kg (inline 4 colors)	10500kg 12500kg (inline 2 colors) 13000kg (inline 4 colors)
Machine Size (LWH)	10000x3800x2200mm 16400x5000x2500mm (inline 2 colors) 17700x5000x2500mm (inline 4 colors)	12000x3800x2200mm 16500x5000x2500mm (inline 2 colors) 17800x5000x2500mm (inline 4 colors)	12000x3800x2200mm 16500x5000x2500mm (inline 2 colors) 17800x5000x2500mm (inline 4 colors)
Power Support	3 Phase 220/380/440V 50/60HZ		

KTPM-BD330

Series Roll Feeding D Cut Brown Paper Bag Making Machine



Feature:


This Roll Feeding D Cut Brown Paper Bag Making Machine Use Roll Type Paper Make Various Sized Square Bottom Paper Bags With D Cut Handles.

Optional:

1. Inline Flexo Printing Machine (2 colors/4 colors).
2. Double Unwind System.

Performance and Characteristics:

1. PLC Touch Screen Use SCHEIDER Brand (France).
2. PC Motion Controller Use REXROTH Brand (Germany).
3. Servo Motor Use REXROTH Brand (Germany).
4. Inverter Use DELTA Brand (Taiwan).
5. Photo Sensor Use SICK Brand (Germany) .
6. EPC Use SELECTRA Brand (Italy).
7. Electrical Box with AC Condition.
8. Machine with CE Certification.
9. Machine with ROHS Certification.




Main Technical Specification

Model	KTPM-BD330	KTPM-BD450
Tube Length	270-530mm	270-530mm
Bag Width	120-330mm 190-330mm (Patch Bag)	200-450mm 200-450mm (Patch Bag)
Bottom Width	60-180mm	90-180mm
Paper Thickness	50-150gsm	80-150gsm
Paper Feeding Speed	≤110m/min	≤90m/min
Mechanical Speed	30-220pcs/min	30-200pcs/min
Paper Bag Making Speed	30-180pcs/min	30-180pcs/min
D Cut Handle Width	75/85mm	75/85mm
Patch Paper Thickness	80-150gsm	80-150gsm
Patch Film Thickness	40-70μm	40-70μm
Patch Paper Roll Width	130mm	130mm
Patch Paper Roll Diameter	500mm	500mm
Patch Bag Making Speed	30-150pcs/min	30-130pcs/min
Paper Jumbo Roll Width	450-1050mm	610-1290mm
Paper Jumbo Roll Diameter	φ1300mm	φ1300mm
Machine Power	40.6kw	40.6kw
Machine Weight	9000kg	10000kg
Machine Size (LWH)	12000x3750x2000mm	13000x3750x2000mm
Power Support	3 Phase 220/380/440V 50/60HZ	

KTPM-BW330

Series Roll Feeding Square Bottom
Paper Bag Making Machine with Plastic Window



Feature:


This square bottom paper bag making machine use roll type paper make various sized square bottom paper bags with plastic window.

Optional:

1.Inline Flexo Printing Machine (2 colors/4 colors).

Performance and Characteristics:

- 1.PLC Touch Screen use SCHEIDER Brand (France).
- 2.PC Motion Controller use LENZE Brand (Germany).
- 3.Servo Motor use LENZE Brand (Germany).
- 4.Inverter use DELTA Brand (Taiwan).
- 5.Photo Sensor use SICK Brand (Germany).
- 6.EPC use SELECTRA Brand (Italy).
- 7.Electrical Box with AC Condition.
- 8.Machine with CE Certification.
- 9.Machine with ROHS Certification.



Main Technical Specification

Model	KTPM-BW190	KTPM-BW330
Tube Length	190-370mm	270-530mm
Bag Width	80-200mm 65-200mm (Customized)	120-330mm
Bottom Width	50-105mm 45-105mm (Customized)	60-180mm
Paper Thickness	40-130gsm	50-150gsm
Paper Feeding Speed	≤100m/min	≤110m/min
Mechanical Speed	30-260pcs/min	30-220pcs/min
Paper Bag Making Speed	30-200pcs/min	30-180 pcs/min
Paper Jumbo Roll Width	280-630mm	380-1050mm
Paper Jumbo Roll Diameter	Φ1300mm	Φ1300mm
Paper Core Diameter	Φ76mm	Φ76mm
D Cut Window Width	50-120mm	50-120mm
D Cut Window Height	50-120mm	50-120mm
Strip Window Width	50-100mm	60-150mm
Machine Power	31kw	36kw
Machine Weight	8500kg	11000kg
Machine Size (LWH)	12500x3700x2200mm	14500x4000x2100mm
Power Support	3 Phase 220/380/440V 50/60HZ	

KTPM-BHT

Series Twisted Handle Fully Automatic Paper Carry Bag Making Machine



Feature:


This Fully Automatic Paper Carry Bag Making Machine uses roll-type paper to make various sized square bottom paper bags with twisted handles.

Optional:

1. Inline Flexo Printing Machine (2 colors/4 colors).


Performance and Characteristics:

1. PLC Touch Screen use SCHEIDER Brand (France).
2. PC Motion Controller use LENZE Brand (Germany).
3. Servo Motor use LENZE Brand (Germany).
4. Inverter use DELTA Brand (Taiwan).
5. Photo Sensor use SICK Brand (Germany).
6. EPC use SELECTRA Brand (Italy).
7. Electrical Box with AC Condition.
8. Machine with CE Certification.
9. Machine with ROHS Certification.



Main Technical Specification

Model		KTPM-BHT330	KTPM-BHT450	KTPM-BHT450A	KTPM-BHT450B
Tube Length	With Handle	270-430mm	270-430mm	300-530mm	380-660mm
	Without Handle	270-530mm	270-530mm	300-630mm	380-760mm
Bag Width	With Handle	240-450mm	200-330mm	220-450mm	240-450mm
	Without Handle	200-450mm	120-330mm	220-450mm	220-450mm
Bottom Width	With Handle	90-180mm	80-180mm	80-220mm	80-230mm
	Without Handle	90-180mm	70-180mm	80-220mm	80-230mm
Paper Thickness	With Handle	80-150gsm	70-150gsm	80-150gsm	80-150gsm
	Without Handle	70-150gsm	50-150gsm	70-150gsm	80-150gsm
Paper Roll Width	With Handle	690-1290mm	590-1050mm	630-1370mm	670-1370mm
	Without Handle	610-1290mm	380-1050mm	630-1370mm	630-1370mm
Paper Core Diameter		76mm	76mm	76mm	76mm
Max Paper Jumbo Roll Diameter		1300mm	1200mm	1200mm	1200mm
Handle Patch Paper Sheet Width		152mm	190mm	190mm	190mm
Handle Patch Paper Sheet Height		50mm	50mm	50mm	50mm
		40mm (Customized)	40mm (Customized)	40mm (Customized)	40mm (Customized)
Twisted Rope Distance		75mm	95mm	95mm	95mm
Twisted Rope Diameter		3-5mm	3-5mm	3-5mm	3-5mm
Handle Patch Paper Roll Width		100mm	100mm	100mm	100mm
		80mm (Customized)	80mm (Customized)	80mm (Customized)	80mm (Customized)
Handle Patch Paper Roll Diameter		1200mm	1200mm	1200mm	1200mm
Handle Patch Paper Thickness		80-135gsm	80-135gsm	80-135gsm	80-135gsm
Paper Feeding Speed		≤100m/min	≤90m/min	≤90m/min	≤90m/min
Paper Bag Making Speed (With Handle)		30-150 pcs/min	30-150 pcs/min	30-120 pcs/min	30-90 pcs/min
Paper Bag Making Speed (Without Handle)		30-180 pcs/min	30-180 pcs/min	30-150 pcs/min	30-120 pcs/min
Cutting Type		Sawtooth cutting	Sawtooth cutting	Sawtooth cutting	Sawtooth cutting
Machine Power		41.5kw	41.5kw	42kw	43.5kw
Machine Weight		15000kg	15500kg	16000kg	16500kg
Machine Size (LWH)		14000*6000*2400m m	14000*6000*2400m m	16000*6000*3200m m	16000*6500*3200m m
Power Support		3 Phase 220/380/440V 50/60HZ			




Main Technical Specification

Model		KTPM-BHT330	KTPM-BHT450	KTPM-BHT450A	KTPM-BHT450B
Tube Length	With Handle	270-430mm	270-430mm	300-530mm	380-660mm
	Without Handle	270-530mm	270-530mm	300-630mm	380-760mm
Bag Width	With Handle	200-330mm	240-450mm	220-450mm	240-450mm
	Without Handle	120-330mm	200-450mm	220-450mm	220-450mm
Bottom Width	With Handle	90-180mm	80-180mm	80-220mm	80-230mm
	Without Handle	90-180mm	70-180mm	80-220mm	80-230mm
Paper Thickness	With Handle	80-150gsm	70-150gsm	80-150gsm	80-150gsm
	Without Handle	70-150gsm	50-150gsm	70-150gsm	80-150gsm
Paper Roll Width	With Handle	690-1290mm	590-1050mm	630-1370mm	670-1370mm
	Without Handle	610-1290mm	380-1050mm	630-1370mm	630-1370mm
Paper Core Diameter		76mm	76mm	76mm	76mm
Max Paper Jumbo Roll Diameter		1300mm	1200mm	1200mm	1200mm
Handle Patch Paper Sheet Width		152mm	190mm	190mm	190mm
Handle Patch Paper Sheet Height		50mm	50mm	50mm	50mm
		40mm (Customized)	40mm (Customized)	40mm (Customized)	40mm (Customized)
Twisted Rope Distance		75mm	95mm	95mm	95mm
Twisted Rope Diameter		3-5mm	3-5mm	3-5mm	3-5mm
Handle Patch Paper Roll Width		100mm	100mm	100mm	100mm
		80mm (Customized)	80mm (Customized)	80mm (Customized)	80mm (Customized)
Handle Patch Paper Roll Diameter		1200mm	1200mm	1200mm	1200mm
Handle Patch Paper Thickness		80-135gsm	80-135gsm	80-135gsm	80-135gsm
Paper Feeding Speed		≤100m/min	≤90m/min	≤90m/min	≤90m/min
Paper Bag Making Speed (With Handle)		30-150 pcs/min	30-150 pcs/min	30-120 pcs/min	30-90 pcs/min
Paper Bag Making Speed (Without Handle)		30-180 pcs/min	30-180 pcs/min	30-150 pcs/min	30-120 pcs/min
Cutting Type		Sawtooth cutting	Sawtooth cutting	Sawtooth cutting	Sawtooth cutting
Machine Power		41.5kw	41.5kw	42kw	43.5kw
Machine Weight		15000kg	15500kg	16000kg	16500kg
Machine Size (LWH)		14000*6000*2400m	14000*6000*2400m	16000*6000*3200m	16000*6500*3200m
Power Support		3 Phase 220/380/440V 50/60HZ			

KTPM-BHF

Series Twisted Handle Fully Automatic Paper Carry Bag Making Machine



Feature:


This Fully Automatic Paper Shopping Bag Making Machine use roll-type paper to make various sized square bottom paper bags with a flat handle.

Optional:

1. Inline Flexo Printing Machine (2 colors/4 colors).

Performance and Characteristics:

1. PLC Touch Screen use SCHEIDER Brand (France).
2. PC Motion Controller use LENZE Brand (Germany).
3. Servo Motor use LENZE Brand (Germany).
4. Inverter use DELTA Brand (Taiwan).
5. Photo Sensor use SICK Brand (Germany).
6. EPC use SELECTRA Brand (Italy).
7. Electrical Box with AC Condition.
8. Machine with CE Certification.
9. Machine with ROHS Certification.




Main Technical Specification

Model		KTPM-BHF330	KTPM-BHF450	KTPM-BHF450B
Tube Length	With Handle	270-430mm	270-430mm	380-660mm
	Without Handle	270-530mm	270-530mm	380-760mm
Bag Width	With Handle	200-330mm	240-450mm	240-450mm
	Without Handle	120-330mm	200-450mm	220-450mm
Bottom Width	With Handle	80-180mm	90-180mm	80-230mm
	Without Handle	60-180mm	90-180mm	80-230mm
Paper Thickness	With Handle	70-150gsm	80-150gsm	80-150gsm
	Without Handle	50-150gsm	70-150gsm	80-150gsm
Paper Roll Width	With Handle	590-1050mm	690-1290mm	670-1370mm
	Without Handle	380-1050mm	610-1290mm	630-1370mm
Paper Core Diameter		76mm	76mm	76mm
Max Paper Jumbo Roll Diameter		1300mm	1200mm	1200mm
Handle Patch Paper Sheet Width		152mm	190mm	190mm
Handle Patch Paper Sheet Height		50mm 40mm (Customized)	50mm 40mm (Customized)	50mm 40mm (Customized)
Flat Handle Distance		75mm	95mm	95mm
Flat Rope Diameter		3-5mm	3-5mm	3-5mm
Handle Patch Paper Roll Width		100mm 80mm (Customized)	100mm 80mm (Customized)	100mm 80mm (Customized)
Handle Patch Paper Roll Diameter		1200mm	1200mm	1200mm
Handle Patch Paper Thickness		80-135gsm	80-135gsm	80-135gsm
Paper Feeding Speed		≤100m/min	≤90m/min	≤90m/min
Paper Bag Making Speed (With Handle)		30-150 pcs/min	30-150 pcs/min	30-90 pcs/min
Paper Bag Making Speed (Without Handle)		30-180 pcs/min	30-180 pcs/min	30-120 pcs/min
Cutting Type		Sawtooth cutting	Sawtooth cutting	Sawtooth cutting
Machine Power		41.5kw	41.5kw	43.5kw
Machine Weight		15000kg	15500kg	16500kg
Machine Size (LWH)		14000*6000*2400mm	14000*6000*2400mm	16100*6500*2400mm
Power Support		3 Phase 220/380/440V 50/60HZ		

KTPM-BHFI

Series Inner Fold Flat Handle Fully Automatic Paper Carry Bag Machine



Feature:


This Fully Automatic Inner Fold Flat Handle Paper Carry Bag Machine uses roll-type paper to make various sized square bottom paper bags with inner fold flat handles.

Optional:

1. Inline Flexo Printing Machine (2 colors/4 colors).

Performance and Characteristics:

1. PLC Touch Screen use SCHEIDER Brand (France).
2. PC Motion Controller use LENZE Brand (Germany).
3. Servo Motor use LENZE Brand (Germany).
4. Inverter use DELTA Brand (Taiwan).
5. Photo Sensor use SICK Brand (Germany).
6. EPC use SELECTRA Brand (Italy).
7. Electrical Box with AC Condition.
8. Machine with CE Certification.
9. Machine with ROHS Certification.




Main Technical Specification

Model		KTPM-BHF330I	KTPM-BHF450I	KTPM-BHF450AI	KTPM-BHF450BI
Tube Length	Without Handle	270-530mm	270-530mm	300-630mm	380-760mm
	In-folding Handle	350-530mm	350-530mm	350-630mm	380-760mm
	With Handle	350-430mm	350-430mm	350-530mm	380-660mm
Bag Width	With Handle	220-330mm	220-250mm	220-450mm	220-450mm
	Without Handle	120-330mm	220-450mm	220-450mm	220-450mm
Bottom Width	With Handle	80-180mm	90-180mm	80-220mm	80-220mm
	Without Handle	60-180mm	90-180mm	80-220mm	80-220mm
Paper Thickness	With Handle	80-150gsm	80-150gsm	80-150gsm	80-150gsm
	Without Handle	60-150gsm	80-150gsm	80-150gsm	80-150gsm
Paper Roll Width	With Handle	630-1050mm	650-1290mm	630-1370mm	630-1370mm
	Without Handle	380-1050mm	650-1290mm	630-1370mm	630-1370mm
Paper Core Diameter		76mm	76mm	76mm	76mm
Max Paper Jumbo Roll Diameter		1200mm	1200mm	1200mm	1200mm
Flat Rope Height		75mm	75mm	75mm	75mm
Flat Rope Width		12mm	12mm	12mm	12mm
Flat Rope Distance		100mm	100mm	100mm	100mm
Handle Patch Paper Sheet Width		160mm	160mm	160mm	160mm
Handle Patch Paper Sheet Height		50mm	50mm	50mm	50mm
Flat Rope Length		310mm	310mm	310mm	310mm
Handle Patch Paper Thickness		100-110gsm	100-110gsm	100-110gsm	100-110gsm
Handle Patch Paper Roll Width		100mm	100mm	100mm	100mm
Handle Patch Paper Thickness		80gsm	80gsm	80gsm	80gsm
Handle Patch Paper Roll Diameter		1200mm	1200mm	1200mm	1200mm
Paper Bag Making Speed (With Handle)		30-180pcs/min	30-160pcs/min	30-120pcs/min	30-150pcs/min
Paper Bag Making Speed (Without Handle)		30-150pcs/min	30-150pcs/min	30-100pcs/min	30-120pcs/min
Cutting Type		Sawtooth Cutting			
Machine Power		41.5kw	41.5kw	42.5kw	42.5kw
Machine Weight		16000kg	16000kg	16600kg	16600kg
Machine Size (LWH)		14000*6000*2400mm	14000*6000*2400mm	16100*6500*2400mm	16100*6500*2400mm
Power Support		3 Phase 220/380/440V 50/60HZ			

KTPM-BHB

Series Fully Automatic Twisted and Flat Handle Paper Pouch Making Machine



Feature:


This Fully Automatic Twisted and Flat Handle Paper Pouch Making Machine uses roll-type paper to make various sized square bottom paper bags with a twisted handle and flat handle.

Optional:

1. Inline Flexo Printing Machine (2 colors/4 colors).

Performance and Characteristics:

1. PLC Touch Screen use SCHEIDER Brand (France).
2. PC Motion Controller use LENZE Brand (Germany).
3. Servo Motor use LENZE Brand (Germany).
4. Inverter use DELTA Brand (Taiwan).
5. Photo Sensor use SICK Brand (Germany).
6. EPC use SELECTRA Brand (Italy).
7. Electrical Box with AC Condition.
8. Machine with CE Certification.
9. Machine with ROHS Certification.



Main Technical Specification

Model		KTPM-BHB330	KTPM-BHB450	KTPM-BHB450B	KTPM-BHB550
Tube Length	With Handle	270-430mm	270-430mm	380-660mm	380-660mm
	Without Handle	270-530mm	270-530mm	380-760mm	380-760mm
Bag Width	With Handle	200-330mm	240-450mm	240-450mm	260-550mm
	Without Handle	120-330mm	200-450mm	220-450mm	260-550mm
Bottom Width	With Handle	60-180mm	90-180mm	80-230mm	80-230mm
	Without Handle	80-180mm	90-180mm	80-230mm	80-230mm
Paper Thickness	With Handle	70-150gsm	80-150gsm	80-150gsm	100-150gsm
	Without Handle	50-150gsm	70-150gsm	80-150gsm	100-150gsm
Paper Roll Width	With Handle	590-1050mm	690-1290mm	670-1370mm	830-1570mm
	Without Handle	380-1050mm	610-1290mm	630-1370mm	830-1570mm
Paper Core Diameter		76mm	76mm	76mm	76mm
Paper Jumbo Roll Diameter		1300mm	1300mm	1300mm	1300mm
Twisted Rope Making Unit					
Handle Patch Paper Sheet Width		152mm	190mm	190mm	190mm
Handle Patch Paper Sheet Height		50mm	50mm	50mm	50mm
		40mm (Customized)	40mm (Customized)	40mm (Customized)	40mm (Customized)
Twisted Handle Distance		75mm	95mm	95mm	95mm
Twisted Rope Diameter		3-5mm	3-5mm	3-5mm	3-5mm
Handle Patch Paper Roll Width		100mm	100mm	100mm	100mm
		80mm (Customized)	80mm (Customized)	80mm (Customized)	80mm (Customized)
Handle Patch Paper Roll Diameter		1200mm	1200mm	1200mm	1200mm
Handle Patch Paper Thickness		80-135gsm	80-135gsm	80-135gsm	100-135gsm
Flat Rope Making Unit					
Flat Rope Distance		75mm	85mm	85mm	85mm
Flat Rope Width		12mm	12mm	12mm	12mm
Flat Rope Height		100mm	100mm	100mm	100mm
Handle Patch Paper Sheet Width		152mm	190mm	190mm	190mm
Handle Patch Paper Sheet Height		50mm	50mm	50mm	50mm
Flat Rope Length		352mm	352mm	352mm	352mm
Handle Patch Paper Roll Width		100mm	100mm	100mm	100mm
Handle Patch Paper Thickness		120gsm	120gsm	120gsm	120gsm
Handle Patch Paper Roll Diameter		1200mm	1200mm	1200mm	1000mm
Paper Feeding Speed		≤100m/min	≤90m/min	≤90m/min	≤90m/min
Paper Bag Making Speed (With Handle)		30-150 pcs/min	30-150 pcs/min	30-90 pcs/min	30-80pcs/min
Paper Bag Making Speed (Without Handle)		30-180 pcs/min	30-180 pcs/min	30-120 pcs/min	30-100pcs/min
Cutting Type		Sawtooth cutting	Sawtooth cutting	Sawtooth cutting	Sawtooth cutting
Power Supply		50.5KW	50.5KW	51.5KW	47KW
Machine Weight		20200kg	20500kg	21800kg	26000kg
Machine Size		18000*8000*2800mm	18000*8000*2800mm	18000*8000*2800mm	19000x10000x2700mm
Power Support		3 Phase 220/380/440V 50/60HZ			

KTPM-BE

Series Roll Feeding Small Paper Bag Making Machine



Feature:


This Roll Feeding Fully Automatic Small Paper Bag Machine Use Roll Type Paper Make Various Sized Square Bottom Paper Bags Without Handles.

Optional:

1. Inline Flexo Printing Machine (1 color/2 colors/4 colors).
2. Optional Double Unwind System.

Performance and Characteristics:

1. With PLC Touch Screen Control System.
2. PC Motion Controller Use YASKAWA Brand (Japan).
3. Servo Motor Use YASKAWA Brand (Japan).
4. Photo Sensor Use SICK Brand (Germany) .
5. With 8 Servo Motor System.
6. Electrical Box with AC Condition.
7. Machine with CE Certification.
8. Machine with ROHS Certification.



Main Technical Specification

Model	KTPM-B220E	KTPM-B330E	KTPM-B400E	KTPM-B460E	KTPM-B550E
Tube Length	190-430mm	280-530mm	280-600mm	300-770mm	300-770mm
Bag Width	80-220mm	150-330mm	150-400mm	220-460mm	260-550mm
Bottom Width	50-120mm	70-180mm	90-200mm	90-260mm	90-260mm
Paper Thickness	45-150gsm	60-150gsm	70-150gsm	80-150gsm	80-150gsm
Paper Jumbo Roll Width	280-710mm	470-1050mm	510-1230mm	650-1470mm	650-1470mm
Paper Jumbo Roll Diameter	1300mm	1300mm	1300mm	1300mm	1300mm
Paper Feeding Speed	≤100m/min	≤110m/min	≤90m/min	≤90m/min	≤90m/min
Mechanical Speed	280pcs/min	220pcs/min	200pcs/min	150pcs/min	150pcs/min
Paper Bag Making Speed	180-220pcs/min	180-200pcs/min	150-180pcs/min	110-130pcs/min	110-130pcs/min
Machine Power	15kw	8kw	15.5kw	25kw	25kw
Machine Weight	5600kg	8000kg	9000kg	12000kg	12000kg
Machine Size (LWH)	8600*2600*1900mm	9500*2600*1900mm	10700*2600*1900mm	13000*4000*2000mm	13000*4000*2000mm



KTPM-BHTE

Series Twisted Handle Fully Automatic Kraft Paper Bag Making Machine



Feature:


This Roll Feeding Fully Automatic Small Paper Bag Machine Use Roll Type Paper Make Various Sized Square Bottom Paper Bags Without Handles.

Optional:

1. Inline Flexo Printing Machine (1 color/2 colors/4 colors).
2. Optional Double Unwind System.

Performance and Characteristics:

1. With PLC Touch Screen Control System.
2. PC Motion Controller Use YASKAWA Brand (Japan).
3. Servo Motor Use YASKAWA Brand (Japan).
4. Photo Sensor Use SICK Brand (Germany) .
5. With 8 Servo Motor System.
6. Electrical Box with AC Condition.
7. Machine with CE Certification.
8. Machine with ROHS Certification.



Main Technical Specification

Model		KTPM-BHT220E	KTPM-BHT330E	KTPM-BHT400E	KTPM-BHT460E
Tube Length	With Handle	190-350mm	280-430mm	280-550mm	300-650mm
	Without Handle	190-430mm	280-530mm	280-600mm	300-770mm
Bag Width	With Handle	120-220mm	200-330mm	200-400mm	240-460mm
	Without Handle	80-220mm	150-330mm	150-400mm	220-460mm
Bottom Width	With Handle	50-120mm	80-180mm	90-200mm	90-260mm
	Without Handle	50-120mm	80-180mm	90-200mm	90-260mm
Paper Roll Width	With Handle	290-710mm	590-1050mm	610-1230mm	690-1470mm
	Without Handle	290-710mm	490-1050mm	510-1230mm	650-1470mm
Paper Roll Diameter		≤1500mm	≤1500mm	≤1500mm	≤1500mm
Paper Core Diameter		Φ76mm	Φ76mm	Φ76mm	Φ76mm
Paper Weight		70-140gsm	80-140gsm	80-140gsm	80-140gsm
Machine Speed		150pcs/min	150pcs/min	150pcs/min	130pcs/min
Twisted Rope Height		90-110mm	95-115mm	95-115mm	100-120mm
Handle Patch Paper Sheet Height		40-50mm	45-50mm	45-50mm	45-50mm
Handle Patch Paper Sheet Width		95mm	152mm	152mm	190mm
Twisted Rope Diameter		Φ3-5mm	Φ4-6mm	Φ4-6mm	Φ4-6mm
Handle Patch Paper Roll Diameter		Φ1200mm	Φ1200mm	Φ1200mm	Φ1200mm
Handle Patch Paper Roll Width		80-100mm	90-100mm	90-100mm	90-100mm
Handle Patch Paper Weight		100-140g	100-140g	100-140g	100-140g
Twisted Handle Distance		47mm	76mm	76mm	95mm
Machine Power		32kw	32kw	34kw	36kw
Machine Weight		13000kg	16000kg	18000kg	22000kg
Machine Size (LWH)		12000*5000*3200mm	14000*6000*3500mm	15000*6000*3500mm	17000*6000*3500mm

KTPM-BHFIE

Series Flat Handle Fully Automatic Grocery Paper Bag Making Machine



Feature:


This Roll Feeding Fully Automatic Small Paper Bag Machine Use Roll Type Paper Make Various Sized Square Bottom Paper Bags Without Handles.

Optional:

1. Inline Flexo Printing Machine (1 color/2 colors/4 colors).
2. Optional Double Unwind System.

Performance and Characteristics:

1. With PLC Touch Screen Control System.
2. PC Motion Controller Use YASKAWA Brand (Japan).
3. Servo Motor Use YASKAWA Brand (Japan).
4. Photo Sensor Use SICK Brand (Germany) .
5. With 8 Servo Motor System.
6. Electrical Box with AC Condition.
7. Machine with CE Certification.
8. Machine with ROHS Certification.



Main Technical Specification

Model		KTPM-BHF330E	KTPM-BHF400E	KTPM-BHF460E	KTPM-BHF550E
Tube Length	With Handle	280-430mm	280-550mm	300-650mm	300-650mm
	Without Handle	280-530mm	280-600mm	300-770mm	300-770mm
Bag Width	With Handle	200-330mm	200-400mm	240-460mm	260-550mm
	Without Handle	150-330mm	150-400mm	220-460mm	260-550mm
Bottom Width	With Handle	80-180mm	90-200mm	90-260mm	90-260mm
	Without Handle	70-180mm	90-200mm	90-260mm	90-260mm
Paper Roll width	With Handle	590-1050mm	610-1230mm	690-1470mm	690-1470mm
	Without Handle	490-1050mm	510-1230mm	650-1470mm	650-1470mm
Paper Jumbo Roll Diameter		≤1500mm	≤1500mm	≤1500mm	≤1500mm
Paper Core Diameter		Φ76mm	Φ76mm	Φ76mm	Φ76mm
Paper Thickness		80-140gsm	80-140gsm	80-140gsm	80-140gsm
Bag Making Speed		150pcs/min	150pcs/min	130pcs/min	100pcs/min
Flat Rope Width		12mm	12mm	15mm	15mm
Flat Rope Height		100mm	100mm	100mm	100mm
Flat Rope Paper Weight		100-120gsm	100-120gsm	100-120gsm	100-120gsm
Flat Rope Distance		75mm	75mm	95mm	95mm
Handle Patch Paper Sheet Height		45-50mm	45-50mm	45-50mm	45-50mm
Handle Patch Paper Sheet Width		152mm	152mm	190mm	190mm
Handle Patch Paper Roll Width		90-100mm	90-100mm	90-100mm	90-100mm
Handle Patch Paper Weight		100-140gsm	100-140gsm	100-140gsm	100-140gsm
Handle Patch Paper Roll Diameter		Φ1200	Φ1200	Φ1200	Φ1200
Machine Power		32kw	34kw	34kw	34kw
Machine Weight		16000kg	18000kg	21000kg	22000kg
Machine Size (LWH)		14000*6000*3500mm	15000*6000*3500mm	16000*6000*3500mm	16000*6000*3500mm

KTPM-BHBE

Series Fully Automatic Twisted and Flat Handle Paper Bag Production Machine



Feature:


This Roll Feeding Fully Automatic Small Paper Bag Machine Use Roll Type Paper Make Various Sized Square Bottom Paper Bags Without Handles.

Optional:

1. Inline Flexo Printing Machine (1 color/2 colors/4 colors).
2. Optional Double Unwind System.

Performance and Characteristics:

1. With PLC Touch Screen Control System.
2. PC Motion Controller Use YASKAWA Brand (Japan).
3. Servo Motor Use YASKAWA Brand (Japan).
4. Photo Sensor Use SICK Brand (Germany) .
5. With 8 Servo Motor System.
6. Electrical Box with AC Condition.
7. Machine with CE Certification.
8. Machine with ROHS Certification.




Main Technical Specification

Model		KTPM-BHB330E	KTPM-BHB400E	KTPM-BHB460E	KTPM-BHB550E
Tube length	With Handle	280-430mm	280-550mm	300-650mm	300-650mm
	Without Handle	280-530mm	280-600mm	300-770mm	300-770mm
Bag Width	With Handle	200-330mm	200-400mm	240-460mm	260-550mm
	Without Handle	150-330mm	150-400mm	220-460mm	260-550mm
Bottom Width	With Handle	80-180mm	90-200mm	90-260mm	90-260mm
	Without Handle	70-180mm	90-200mm	90-260mm	90-260mm
Paper Roll Width	With Handle	590-1050mm	610-1230mm	690-1470mm	690-1470mm
	Without Handle	490-1050mm	510-1230mm	650-1470mm	650-1470mm
Paper Roll Diameter		≤1500mm	≤1500mm	≤1500mm	≤1500mm
Paper Core Diameter		Φ76mm	Φ76mm	Φ76mm	Φ76mm
Paper Weight		80-140g/m ²	80-140g/m ²	80-140g/m ²	80-140g/m ²
Machine Speed		150pcs/min	150pcs/min	130pcs/min	130pcs/min
Flat Handle					
Flat Rope Width		12mm	12mm	15mm	15mm
Flat Rope Height		100mm	100mm	100mm	100mm
Flat Rope Paper Weight		100-120gsm	100-120gsm	100-120gsm	100-120gsm
Flat Rope Distance		75mm	75mm	95mm	95mm
Handle Patch Paper Roll Diameter		Φ1200mm	Φ1200mm	Φ1200mm	Φ1200mm
Handle Patch Paper Sheet Height		45-50mm	45-50mm	45-50mm	45-50mm
Handle Patch Paper Sheet Width		152mm	152mm	190mm	190mm
Twisted Handle					
Twisted Rope Height		95-115mm	95-115mm	100-120mm	100-120mm
Handle Patch Paper Sheet Height		45-50mm	45-50mm	45-50mm	45-50mm
Handle Patch Paper Sheet Width		152mm	152mm	190mm	190mm
Twisted Rope Diameter		Φ4-6mm	Φ4-6mm	Φ4-6mm	Φ4-6mm
Handle Patch Paper Roll Diameter		Φ1200mm	Φ1200mm	Φ1200mm	Φ1200mm
Handle Patch Paper Roll Width		90-100mm	90-100mm	90-100mm	90-100mm
Handle Patch Paper Weight		100-140gsm	100-140gsm	100-140gsm	100-140gsm
Twisted Handle Distance		76mm	76mm	95mm	95mm
Machine Power		35kw	34kw	34kw	34kw
Machine Weight		18000kg	18000kg	21000kg	21000kg
Machine Size (LWH)		16000*6000*3500mm	15000*6000*3500mm	17000*6000*3500mm	17000*6000*3500mm

KTPM-HP

Paper Bag Handle Pasting Machine





Feature:

This Paper Bag Handle Pasting Machine can automatically paste the twisted handle or Flat handle into the bag body and then make the handle bag, it is highly effective to support machines for paper bag making machines.

Performance and Characteristics:

1. With PLC Touch Screen System.
2. With Auto Bag Feeding System.
3. With Auto Handle Feeding System.
4. With Auto Glue Pasting System.
5. With Auto Waste Bag Protect System.






Main Technical Specification

Machine	KTPM-HP/S	KTPM-HP/L
Handle Type	Twisted Handle and Flat Handle	
Paper Handle Patch Sheet Height	40-50mm	40-50mm
Paper Handle Patch Sheet Width	120-205mm	120-205mm
Paper Handle Height	130-170mm	130-170mm
Paper Bag Width	130-270mm	250-450mm
Paper Bag Height	180-320mm	300-520mm
Speed	25-30bags/min	25-30bags/min
Pasting Glue	Water-Based Glue	Water-Based Glue
Total Power	3kw	3kw
Machine Weight	1100kg	1100kg
Machine Size (LWH)	3200 x 1800 x 1800mm	3200 x 1800 x 1800mm



KTPM-TH

Series High Speed Twisted Paper Bag Handle Making Machine



Feature:


This Twisted Paper Bag Handle Making Machine can automatically use a two-layer narrow paper roller and one twisted rope as raw material to make the twisted paper handle, which can be pasted into the paper bag used for making the twisted handle paper bags. it is leading support for square bottom paper bag machines.

Main Technical Specification

Model	KTPM-TH
Handle Type	Twist Handle
Glue Type	Hot-melt Glue / Water Glue
Handle Patch Paper Sheet Width	120-190mm (Optional)
Handle Patch Paper Sheet Height	30 / 40 / 50mm
Handle Patch Paper Thickness	100-120gsm
Twisted Rope Distance	60-95mm (Optional)
Twisted Rope Height	100mm
Rope Handle Diameter	3-4mm
Production Speed	170-200pairs/min
Handle Patch Paper Roll Diameter	Φ1000mm
Paper Core Diameter	Φ76 mm (3")
Machine Power	7.8kw
Machine Weight	1500kg
Machine Size (LWH)	4000 x 1300 x 1500mm

KTPM-FH

Series High Speed Flat Paper Handle Making Machine



Feature:


This Flat Paper Handle Making Machine can automatically use a two-layer narrow paper roller and one flat rope as raw material to make a flat rope paper handle, which can be pasted into the paper bag used for making the flat rope handle paper bags. it is leading support for the square bottom paper bag machine.

Main Technical Specification

Model	KTPM-FH83	KTPM-FH95
Handle Type	Flat Rope Handle	Flat Rope Handle
Glue Type	Hot-melt Glue	Hot-melt Glue
Flat Handle Distance(a)	83mm	95mm
Flat Handle Width(b)	12mm	12mm
Flat Handle Height(c)	110mm	110mm
Paper Handle Patch Sheet Height(d)	40mm	40mm
Paper Handle Patch Sheet Width(e)	152mm	190mm
Paper Thickness	100-120gsm	100-120gsm
Production Speed	120-150pairs/min	120-150pairs/min
Paper Handle Patch Roll Diameter	Φ1000mm	Φ1000mm
Paper Core Diameter	Φ76 mm (3")	Φ76 mm (3")
Machine Power	10kw	10kw
Machine Weight	1500kg	1500kg
Machine Size (LWH)	5000 x 1500 x 1500mm	5000 x 1500 x 1500mm

KTPM-RM

Series Twisted Paper Rope Making Machine



Feature:

The Twisted Paper Rope Making Machine uses a narrow paper roll as raw material, through the high-speed spinning axes device makes paper twisted into rope and rewinds it in roller type. twisted rope diameter can be adjusted to customer requirements. it is main support high-speed paper handle making machine and paper bag making machine

Main Technical Specification

Model	KTPM-RM1	KTPM-RM2
Type	Single Line	Double Line
Raw Material	Kraft Paper	Kraft Paper
Raw Material Width	20-100mm	20-100mm
Raw Material Weight	22-60g	22-60g
Raw Material Diameter	450mm	450mm
Twisted Rope Diameter	2.5-6mm	2.5-6mm
Twisted Rope Roll Diameter	300mm	300mm
Twisted Rope Roll Width	300mm	300mm
Speed	15-20m/min	20-40m/min
Paper Core Diameter	76mm (3")	76mm (3")
Total Power	1.5kw	1.5kw
Total Weight	200kg	300kg
Machine Size (LWH)	1580 x 1150 x 930mm	1580 x 1450 x 930mm

KTPM-RW

Series Twisted Paper Rope Rewind Machine



Feature:

The Twisted Paper Rope Rewind Machine use to rewind the twisted rope, make sure rope inside no any point knots.

Main Technical Specification

Model	KTPM-RW
Max Unwind Diameter	600mm
Max Rewind Diameter	600mm
Max Rewind Inner Diameter	180mm(core-less)
Speed	80-150m/min
Machine Power	2.2kw
Machine Weight	150kg
Machine Size (LWH)	1050 × 800 × 1200mm